



 **merits**

MANUAL WHEELCHAIR

PRODUCT CATALOGUE

1

Standard Steel Wheelchair

European Series

1	M110/M130
2	M210/M230
3	M405/M436
4	M410/M430
5	M419/M439
6	M420/M434
7	M4HD/M4HDC
8	M600
9	M472
10	M700
11	OAD-1R/L / ATP-1

American Series

12	N211
13	N421
14	N424
15	N451/N452
16	N473
17	N472
18	N480
19	N700

20

Transport Chairs

20	L239
21	L247/L248
22	N246

23

Lightweight Aluminum Wheelchair

23	L120/L125
24	L130/L135
25	L200
26	L210
27	L220
28	L222
29	L223
30	L300
31	L303
32	L405
33	L406/L436
34	L407
35	L810

36

J-Chairs

36	J110
37	J610
38	J915

39

Rehab & Sport Wheelchair

39	R106
40	L801
41	L802B
42	L802T/BM
43	L811AR / L811AR/A
44	L812AF
45	M801(Basketball)
46	M801(Tennis)

Power Pack

47	P001
48-50	Accessories

Disclaimer:

All information, photographs, and specifications contained herein are based on the latest product information available at the time of printing. Some products shown with optional equipment. See actual product for complete accuracy. Products are subject to technical modification. Actual driving range on power mobility products may vary with driving condition and user weight. We reserve the right to alter specifications without prior notice. Printed material may contain printing errors or color deviation.

About Merits

Merits Health Products logo, consisting of four red hearts, is a symbol of our commitment to provide products second to none. Four red hearts represent faithfulness, caring, love and untiring determination toward our goal of enhancing human life. We commit through dedication to continue our efforts in providing the best possible products and services available at the most economical cost to you, our valued customer

Setting the design and production headquarter in Taiwan and Shanghai , Merits organized professional R&D teams and most advanced & precise equipments in this industry. We are one of the largest power mobility manufactures in the world with over 15% market share worldwide. Merits products have been certified by most strict international standards like TUV, ISO, FDA (USA), CE(Europe), and JIS(Japan). In Taiwan, Merits is the first manufacture inspected by FDA personally; moreover, our outstanding quality has become the key guarantee to satisfy our well-known customers globally.

Merits manufactures Home Medical Equipment mainly for aged and disabled people. All Merits staff are with four sincere hearts, Love, Faithfulness, Carefulness and Determination, when producing high quality and valuable products.

We aim at providing total solutions to every kind of Home Medical Equipment (HME) needs and offer complete HME product lines, including power wheelchairs, mobility scooters, manual wheelchairs, accessibility products and home care beds.


Our Capabilities

World Class Quality System Certification



Quality System

ISO 13485/ FDA (QSR 820)/ GMP,
international quality control system



International Standards

ISO 7176/ EN 12184/ ANSI RESNA/ CE,
ensure the best product in the world



The Highest Safety Specification

Pass Germany TUV test. Meet the
highest safety requirement



International Welding Standard

Certified by Canada CWB, all welded
frame with lifetime warranty





U.S.A.



CHINA



TAIWAN













Merits Milestone

- 1987 July Established with a capital of US\$0.5 million dollars, Merits specializes in manufacturing manual wheelchairs and walkers.
- 1991 Jan. Started to develop electric power wheelchairs and scooters.
- 1992 Jan. Relocated to the current address as business expansion; the first delivery of power wheelchairs.
- 1993 Jan. Began mass production of scooters.
- 1995 Jan. Awarded Taiwan National Symbol of Excellence Award for power Wheelchairs and Scooters. Established the subsidiary in Florida U.S.A. to market own brand "MERITS".
- 1996 Jan Increased the capital to US\$2.3 million dollars.
- 1997 Jun. Awarded ISO 9002 certificate, implemented Management Information System for improving management.
- 1998 Jan. Introduced robot welding machines to increase welding precision and productivity.
- 1999 Jan The second factory commenced operation.
- 2000 Jun. Started to develop oxygen concentrator, established China factory to produce manual wheelchairs and patient aid products.
- 2001 July Upgraded ISO 9002 into year 2000 version of 9001 quality system; launched mass production of oxygen concentrator; China factory started the production.
- 2002 Jan. Passed FDA(U.S.A.) quality system physical examine; introduced automatic equipment of German "Laser Tube Cutter" to increase productivity.
- 2003 Oct. Awarded Little Giant Award/ The 12th Annuals National Award/ GMP certificate; increased the capital to NT\$273.87 million dollars.
- 2004 Jan. Certified by ISO 14001 / introduced PLM, ERP.
- 2005 Mar. Established R&D center & Business headquarter.
- May The PLM system is up and running in heardquarter, Taiwan.
- 2006 July. Merits' debut in China market; participated the Shanghai Exhibition.
- 2008 Apr. A new ERP system is up and running in heardquarter, Taiwan.
- July. To begin construction a new factory in Suzhou, Jiangsu, China.
- Oct. The PLM system is up and running in Branch Factory, China.
- 2009 Jan. The New ERP system is up and running in Branch Factory, China.
- July To begin construction a new factory in the Taichung City Precision Machinery Innovation Technology Park, Taichung, Taiwan.
- The New ERP System is up and running in USA Main Office.
- 2010 Jan. New China Factory in Suzhou, Jiangsu, China commenced operation.
- 2011 Nov. New factory in Taichung, Taiwan commenced operation.

Symbol key



Manual Wheelchair series

 <p>Seat Width Left seat edge to right seat edge</p>	 <p>Max. Footrest Extension Fully extended length from seat front edge to footplate rear edge</p>	 <p>Unfolded Width When in use, seat is fully extended</p>
 <p>Seat Depth Seat length from front edge to back</p>	 <p>Armrest Height From seat to top of armrest</p>	 <p>Folded Width When not in use, seat is folded</p>
 <p>Seat Height Seat to floor from ground to front edge</p>	 <p>Backrest Height Front seat to backrest top edge</p>	 <p>Overall Height From ground to top point</p>
 <p>Min. Footrest Extension Unextended length from seat front edge to footplate rear edge</p>	 <p>Overall Length From front to rear with front rigging</p>	 <p>Total Weight</p>

Manual Wheelchair M110 [M1] / M130 [M1C]

Standard series / Car Transit

- Fixed armrests and fixed footrests. Padded armrests
- Vinyl seat and back upholsteries
- Composite footplates
- 8" x 1" solid tyred casters. Optional pneumatic tires
- M110: 24" x 1" solid or pneumatic tyred spoke wheels
- M130: 12-1/2" x 2-1/4" solid or pneumatic tyred Mag. rear wheels
- Optional brake extension lever
- Limited lifetime warranty on frame



Detachable full armrests



Std toggle brake



Composite footplates with heel loops



M130 [M1C] Car Transit

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	16", 18"
Item Weight	17.5-20kg/ 39-44lb
Castor	8" x 1"
Rear Wheel	M110: 24" x 1" ; M130: 12-1/2" x 2-1/4"
Armrest	fixed
Footrest	fixed
Backrest	fixed
Dimension	M110: 107x63x92cm; M130: 79x63x92cm

Dimensions



	seat dimensions [cm/in]				footrests	arms		
	D	E	F	G	H	J		
16"	40/16	40/16	43/17	51/20	40-53/16-21	25/10		
18"	46/18	40/16	43/17	51/20	40-53/16-21	25/10		
	overall dimensions				weight [kg/lb]			
	A		B	C	K	ttl. weight	capacity	
	M110	M130				M110	M130	
16"	107/42	79/31	58/23	92/36	25/10	19.5/43	17.5/39	114/250
18"	107/42	79/31	58/23	92/36	25/10	20/44	18/40	114/250

Manual Wheelchair M210 [M2] / M230 [M2C] Standard series / Car Transit

- Padded, fixed armrests
- Detachable swing away footrests
- Vinyl seat and back upholstery
- 8" x 1" solid tyred casters
- M210: 24" x 1" solid tyred spoke wheels
- M230: 12-1/2" x 2-1/4" molded Mag. rear wheels
- Optional pneumatic or PU solid tyres
- Optional brake extension lever
- Limited lifetime warranty on frame



Composite footplates with heel loops



Vinyl seat and back upholstery



Optional brake extension lever



M230 [M2C] Car Transit

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	16", 18"
Item Weight	17.5-20kg/ 39-44lb
Castor	8" x 1"
Rear Wheel	M210: 24" x 1" ; M230: 12-1/2" x 2-1/4"
Armrest	fixed
Footrest	detachable, swing away
Backrest	fixed
Dimension	M210: 107x63x92cm; M230: 79X63X92cm

Dimensions



	seat dimensions [cm/in]				footrests	arms		
	D	E	F	G	H	J		
16"	40/16	40/16	43/17	51/20	40-53/16-21	25/10		
18"	46/18	40/16	43/17	51/20	40-53/16-21	25/10		
	overall dimensions				weight [kg/lb]			
	A	B	C	K	tll. weight	capacity		
	M210	M230			M210	M230		
16"	107/42	79/31	58/23	92/36	25/10	19.5/43	17.5/39	114/250
18"	107/42	79/31	58/23	92/36	25/10	20/44	18/40	114/250

Manual Wheelchair M405 / M436

Standard Universal series

- ▶ Universal design with two axle bushings, convertible to 24" and/or 12" rear wheels using the same wheelchair
- ▶ Folding backrest is space saving and also practical for transportation and storage
- ▶ Detachable swing away footrest. Optional elevating legrests
- ▶ Vinyl seat and back upholsteries
- ▶ 8" x 1" solid tyred casters
- ▶ Optional brake extension lever
- ▶ Limited lifetime warranty on frame
- ▶ M405: 24" x 1-3/8" pneumatic tyred spoke wheels with quick release axles and steel handrims
- ▶ M436: 12" x 2-1/4" pneumatic tyred molded Mag. wheels with quick release axles



M436 Car Transit



Universal design with two axle bushings



Folding backrest



Detachable desk armrests

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	16", 18"
Item Weight	20.5-21kg/ 45-46lb
Castor	8" x 1"
Rear Wheel	M405: 24" x 1-3/8"; M436: 12" x 2-1/2"
Armrest	detachable, desk
Footrest	E&J, detachable, swing Away
Backrest	foldable
Dimension	110x63x92cm

Dimensions



seat dimensions [cm/in]						footrests	arms	
	D	E	F	G	H	J		
16"	40/16	40/16	43/17	51/20	40-53/16-21	25/10		
18"	46/18	40/16	43/17	51/20	40-53/16-21	25/10		
overall dimensions					weight [kg/lb]			
	A	B	C	K	ttl. weight		capacity	
	M405	M436			M405	M436		
16"	110/43	99/39	58/23	92/36	30/12	20.5/45	14.5/31.9	114/250
18"	110/43	99/39	63/25	92/36	30/12	21/46	15/33	114/250

Manual Wheelchair M410 [M4] / M430 [M4C]

Standard series / Car Transit

- ▶ 8" x 1" solid tyred casters
- ▶ Limited lifetime warranty on frame
- ▶ M410: 24" x 1-3/8" pneumatic tyred spoke wheel
- ▶ Heavy-duty chromed steel hand-rims
- ▶ Optional stainless steel hand-rims
- ▶ M430: 12 - 1/2" x 2 - 1/2" pneumatic tyred Mag wheels.
- ▶ Optional 12 - 1/2" x 2 - 1/4" Solid tyred Mags wheels
- ▶ Optional brake extension lever
- ▶ M435: Car transit with folding back allows for easy transport and storage
- ▶ M4 w/ELR: Alternative model equipped with detachable elevating legrests



Detachable swing away footrests



Vinyl seat and back upholstery



Detachable full armrests



M430 [M4C] Car Transit

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	16", 18"
Item Weight	17.5-21kg/ 39-46lb
Castor	8" x 1"
Rear Wheel	M410: 24" x 1-3/8" ; M430: 12-1/2" x 2-1/2"
Armrest	detachable, full
Footrest	E&J, detachable, swing away
Backrest	fixed
Dimension	M410: 107x63x92cm; M430: 79x63x92cm

Dimensions



	seat dimensions [cm/in]				footrests	arms		
	D	E	F	G	H	J		
16"	40/16	40/16	43/17	51/20	40-53/16-21	25/10		
18"	46/18	40/16	43/17	51/20	40-53/16-21	25/10		
	overall dimensions				weight [kg/lb]			
	A	B	C	K	tll. weight	capacity		
	M410	M430			M410	M430		
16"	107/42	79/31	58/23	92/36	27/11	20.5/45	17.5/39	114/250
18"	107/42	79/31	58/23	92/36	27/11	21/46	18/40	114/250

Manual Wheelchair M419 [M4I] / M439 [M4IC]

Wrap-around Armrest Wheelchair

- ▶ Stylish compact, slim design
- ▶ Detachable full armrests
- ▶ Detachable swing away footrests with calf straps
- ▶ Standard Push to lock brakes
- ▶ Vinyl upholstery is easy to clean
- ▶ Limited lifetime warranty on frame
- ▶ Optional desk armrests allows chair to be close to tables and washbasins



Detachable swing away footrests



Calf straps



Detachable desk armrests




M439 Wrap-around Armrest Wheelchair

Technical Specs.

Weight Capacity	110kg/ 243lb
Seat Width	16", 17", 18", 19"
Item Weight	17-22.5kg/ 37-50lb
Castor	8" x 2"
Rear Wheel	M419: 24" x 1-3/8" ; M439: 12" x 2-1/2"
Armrest	detachable, full
Footrest	E&J, detachable, swing away
Backrest	fixed
Dimension	M419:107x62x92cm; M439: 79x62x92cm

Dimensions



	seat dimensions [cm/in]				footrests	arms		
	D	E	F	G	H	J		
16"	40/16	40/16	43/17	51/20	40-53/16-21	25/10		
17"	43/17	40/16	43/17	51/20	40-53/16-21	25/10		
18"	46/18	40/16	43/17	51/20	40-53/16-21	25/10		
19"	48/19	40/16	43/17	51/20	40-53/16-21	25/10		
	overall dimensions				weight [kg/lb]			
	A		B	C	K	ttl. weight		capacity
	M419	M439				M419	M439	
16"	107/42	79/31	57/22.5	92/36	25/10	22/48	17/37	110/243
17"	107/42	79/31	59/32	92/36	25/10	22/48	17/37	110/243
18"	107/42	79/31	62/24.5	92/36	25/10	22.5/50	17.5/39	110/243
19"	107/42	79/31	64/25	92/36	25/10	22.5/50	17.5/39	110/243

Manual Wheelchair M420 / M434

New Compact / Car Transit

- Economy model with compact design excellent for narrow spaces
- Detachable full armrests
- Detachable swing away footrests
- Push-down brakes
- Reflectors on spoke wheels
- Easy-to-clean upholstery
- Composite footplates with heel loops
- Limited lifetime warranty on frame
- Optional: height adjustable full armrest, elevating legrest, quick release axle on 12" or 24" rear wheels, and anti-tippers



Detachable full armrests



Detachable swing away footrests with heel loops



Push-down brakes




Reflectors on spoke wheels

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	16", 18"
Item Weight	17kg/ 37lb
Castor	7" x 1"
Rear Wheel	24" ; 12"
Armrest	detachable, full
Footrest	detachable, swing away
Backrest	fixed
Dimension	79x58x94cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
16"	40/16	42/16.5	46/18	49/19.5	38-50/15-20	25/10
18"	46/18	42/16.5	46/18	49/19.5	38-50/15-20	25/10
	overall dimensions]				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
16"	79/31	58/23	94/37	27/10.5	17/37	114/250
18"	79/31	63/25	94/37	27/10.5	17/37	114/250

Manual Wheelchair M470 / M480

Heavy Duty Self Propelling Wheelchair / Car Transit

- Oversized footplates with calf strap
- Detachable desk armrests, optional full armrests
- Detachable swing away footrest, optional elevating legrests
- Reinforced caster fork for extra safety
- PU tires mounted on composite wheel provides durability and low maintenance
- Maintenance-free, sealed, precision bearings



M480 Car Transit



Foldable design



Wider seat for extra comfort




Double cross-braces for extra strength and weight capacity

Technical Specs.

Weight Capacity	140kg/ 308lb
Seat Width	20", 22"
Item Weight	22-25kg/ 48-53lb
Castor	8" x 1"
Rear Wheel	24" x 1-3/8" ; 12-1/2" x 2-1/4"
Armrest	detachable, desk
Footrest	E&J, detachable, swing away
Backrest	fixed
Dimension	107x68x92cm

Dimensions



seat dimensions [cm/in]					footrests	arms		
	D	E	F	G	H	J		
20"	51/20	46/18	43/17	51/20	40-53/16-21	25/10		
22"	56/22	46/18	43/17	51/20	40-53/16-21	25/10		
overall dimensions					weight [kg/lb]			
	A		B	C	K	ttl. weight		capacity
	M470	M480				M470	M480	
20"	107/42	79/31	68/27	92/36	33/13	24/53	22/48	114/250
22"	107/42	79/31	73/29	92/36	33/13	25/55	22/48	114/250

Manual Wheelchair M600

Semi-Recliner

- Comes standard with swing-away elevating legrests
- Deluxe padded vinyl seat and long back upholsteries
- Headrest on extended tubes (pillow optional)
- Wheels set back on frame prevents tipping
- Optional brake extension lever
- Limited lifetime warranty on frame
- M610: 24" x 1-3/8" pneumatic wheels with steel handrims
- M630: 12 - 1/2" x 2 - 1/4" PU tyred Mag. wheels



M630 Semi-Recliner



Semi-recliner mechanism. The back is reclinable up to 120°



Foldable design for easy storage




Detachable elevating legrests. 200 x 50 PU tyred casters

Technical Specs.

Weight Capacity	110kg/ 242lb
Seat Width	16", 17", 18"
Item Weight	22-27kg/ 50-60lb
Castor	8" x 2"
Rear Wheel	M610: 24" x 1-3/8" ; M630: 12-1/2" x 2-1/4"
Armrest	detachable, full
Footrest	E&J, detachable, swing away, elevating
Backrest	adjustable
Dimension	119x66x129cm

Dimensions



	seat dimensions [cm/in]				footrests	arms		
	D	E	F	G	H	J		
16"	40/16	43/17	81/32	51/20	40-53/16-21	25/10		
17"	43/17	43/17	81/32	51/20	40-53/16-21	25/10		
18"	46/18	43/17	81/32	51/20	40-53/16-21	25/10		
	overall dimensions				weight [kg/lb]			
	A		B	C	K	ttl. weight	capacity	
	M600	M630				M600	M630	
16"	107/42	108/42.5	61/24	129/51	30/12	26.5/69	22/50	110/242
17"	107/42	108/42.5	64/25	129/51	30/12	26.5/69	22/50	110/242
18"	107/42	108/42.5	66/26	129/51	30/12	27/60	22/50	110/242

Manual Wheelchair M472

Bariatric Wheelchair

- Chrome handrims standard
- Detachable desk armrests, optional full armrests
- Detachable swing away footrests, optional elevating legrests
- Oversized footplates with calf strap for more comfort
- Nylon seat and back upholsteries, alternate vinyl ones
- 8" x 1" solid tyred casters with heavy-duty forks
- Optional 24" x 1" solid tyred molded Mag. wheels, alternative pneumatic tires
- Limited lifetime warranty on frame



8" x 1" solid tyred casters with heavy-duty forks



Reinforced double cross-braces



Nylon seat and back upholsteries




Oversized footplates with calf strap

Technical Specs.

Weight Capacity	184kg/ 400lb
Seat Width	20", 22", 24"
Item Weight	24-26kg/ 53-57lb
Castor	8" x 1"
Rear Wheel	24" x 1"
Armrest	detachable, desk
Footrest	E&J, detachable, swing Away
Backrest	fixed
Dimension	107x68x92cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
20"	48/20	46/18	43/17	51/20	40-53/16-21	25/10
22"	56/22	46/18	43/17	51/20	40-53/16-21	25/10
24"	61/24	46/18	43/17	51/20	40-53/16-21	25/10
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
20"	107/42	68/27	92/36	33/13	24/53	184/400
22"	107/42	73/29	92/36	33/13	25/55	184/400
24"	107/42	79/31	92/36	33/13	26/57	184/400

Manual Wheelchair M700

Full Recliner

- Full-recliner mechanism operated by maglock allows for easy angle adjustments
- Detachable full armrests, optional desk armrests
- Deluxe vinyl seat and extended back upholsteries
- Comes standard with swing-away elevating legrests
- Headrest on extended tubes (pillow optional)
- Wheel set back on frame prevents tipping
- Optional 24" x 1" solid tyred molded Mag. wheels with steel chromed handrims
- Limited lifetime warranty on frame



Deluxe vinyl seat and extended back upholsteries



Full reclining back with infinite angle adjustment between 90°~180°



Wheel set back on frame prevents tipping



Hand brake and push bar

Technical Specs.

Weight Capacity	110kg/ 242lb
Seat Width	16", 18", 20"
Item Weight	27.5-28.5kg/ 61-63lb
Castor	8" x 1"
Rear Wheel	24" x 1"
Armrest	detachable, full
Footrest	E&J, detachable, swing away, elevating
Backrest	fixed
Dimension	125x64x129cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
16"	40/16	43/17	81/32	51/20	40-53/16-21	25/10
18"	46/18	43/17	81/32	51/20	40-53/16-21	25/10
20"	51/20	43/17	81/32	51/20	40-53/16-21	25/10
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
16"	125/49	61/24	129/51	30/12	27.5/61	110/242
18"	125/49	64/25	129/51	30/12	27.5/61	110/242
20"	125/49	66/26	129/51	30/12	28.5/63	110/242

One Arm Drive Kit & Amputee Legrest

One Arm Drive Kit

OAD-1 R/L



OAD-1R: Right-handed one arm drive kit



OAD-1L: Left-handed one arm drive kit

Amputee Legrest

APT-1



APT-1: Wheelchair amputee kit

Manual Wheelchair N211 [coded as K0001]

New Standard series [Dual Axles]

- Padded, fixed full armrests
- Dual axles provides easy transition of seat height to hemi level
- Nylon seat and backrest
- Composite footplates with heel loops
- Front riggings and armrest are Invacare® compatible
- 8" x 1" solid tyred casters
- 24" x 1" solid tyred molded Mag. rear wheels
- 8" front casters adjustable in 3 positions
- Limited lifetime warranty on frame



Optional elevating legrests



Quick release axle bracket



Dual axles provide hemi-height convertibility




Composite footplates with heel loops

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	16", 18"
Item Weight	15.5-16kg/ 34-35lb (w/o front rigging)
Castor	8" x 1"
Rear Wheel	24" x 1"
Armrest	fixed, full
Footrest	swingaway
Backrest	fixed
Dimension	107x58x92cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
16"	40/16	40/16	43/17	51/20	40-53/16-21	25/10
18"	46/18	40/16	43/17	51/20	40-53/16-21	25/10
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
16"	107/42	58/23	92/36	30/12	15.5/34	114/250
18"	107/42	63/25	92/36	30/12	16/35	114/250

Manual Wheelchair N421 [coded as K0001]

New Standard series [Dual Axles]

- Detachable desk armrests, optional full armrests
- Dual axles provides easy transition of seat height to hemi level
- Nylon seat and backrest
- Composite footplates with heel loops
- 8" front casters adjustable in 3 positions
- Padded armrests
- Compact modular design for serviceability
- 8" x 1" solid tyred casters
- 24" x 1" solid tyred molded Mag. rear wheels
- Limited lifetime warranty on frame



24" x 1" solid tyred molded Mag. rear wheels; 8" x 1" solid tyred casters



Composite footplates with heel loops



Nylon seat and backrest



Dual axles

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	16", 18"
Item Weight	17-17.5kg/ 38-39lb (w/o front rigging)
Castor	8" x 1"
Rear Wheel	24" x 1"
Armrest	detachable, desk
Footrest	IV, detachable, swing away
Backrest	fixed
Dimension	79 x 68 x 92cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
16"	40/16	40/16	43/17	51/20	40-53/16-21	25/10
18"	46/18	40/16	43/17	51/20	40-53/16-21	25/10
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
16"	79/31	63/25	92/36	30/12	17/38	114/250
18"	79/31	68/27	92/36	30/12	17.5/39	114/250

Manual Wheelchair N424 [coded as K0003]

New Standard Lightweight [Dual Axles]

- Lightweight: total weight without from rigging is under 36 lbs
- Front riggings and armrest of new series are Invacare@ compatible
- Convertible: Dual axles for converting into a hemi-height wheelchair
- Adjustability: Flip-up desk armrests, optional detachable full armrests, height adjustable flip-up armrests
- Easy to clean: Nylon seat and back upholsteries
- Comfort: Padded armrests
- 8" x 1" solid tyred casters with aluminum forks
- 24" x 1" solid tyred molded Mag. wheels
- Limited lifetime warranty on frame



Quick release axle bracket



Flip-up desk armrests



Nylon seat and back upholsteries



Optional elevating legrests

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	16", 18"
Item Weight	14-14.5kg/ 31-32lb (w/o front rigging)
Castor	8" x 1"
Rear Wheel	24" x 1"
Armrest	flip up, desk
Footrest	IV, detachable, swing away
Backrest	fixed
Dimension	79x68x92cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
16"	40/16	40/16	43/17	51/20	40-53/16-21	25/10
18"	46/18	40/16	43/17	51/20	40-53/16-21	25/10
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
16"	79/31	63/25	92/36	30/12	14/31	114/250
18"	79/31	68/27	92/36	30/12	14.5/32	114/250

Manual Wheelchair N451 / N452 Pediatric Wheelchair

- Detachable desk armrests with vertical swing away footrests
- 6" x 1" solid tyred casters with aluminum forks
- 22" x 1- 3/8" pneumatic tyred molded Mag. wheels with steel handdrims
- Child-specific footrests provides optimum leg-seating position for best comfort possible
- Designed for pediatric users
- 14" x 14" seat for juvenile (N451)
- Limited lifetime warranty on frame
- Optional detachable elevating legrests



Detachable desk armrests



22" x 1- 3/8" pneumatic tyred molded Mag. wheels & 6" x 1" solid tyred casters



Vertical swing away footrests



N452: detachable elevating legrests

Technical Specs.

Weight Capacity	84kg/ 185lb
Seat Width	12", 14"
Item Weight	14.5-15kg/ 32-33lb (w/o front rigging)
Castor	6" x 1"
Rear Wheel	22" x 1-3/8"
Armrest	detachable, desk
Footrest	IV, detachable, swing away
Backrest	fixed
Dimension	69x53x92cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
12"	30/12	36/14	36/14	48/19	30-39/12-15	20/8
14"	36/14	36/14	36/14	48/19	30-39/12-15	20/8
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
12"	69/27	48/19	92/36	27/11	14.5/32	84/185
14"	69/27	53/21	92/36	27/11	15/33	84/185

Manual Wheelchair N472

Bariatric Wheelchair

- ▶ Guide double cross-braces with link bars for extraordinary strength and weight capacity
- ▶ Detachable desk armrest and front riggings are Invacare compatible. Optional full armrests
- ▶ Detachable swing away footrests with large aluminum footplates
- ▶ Nylon seat and back upholsteries
- ▶ 200 x 50 foam filled tyred casters with heavy-duty forks and 1" stem
- ▶ 24" x 1-3/8" pneumatic tyred spoke wheels with M15 axle
- ▶ Seat widths 26", 28" and 30" are available



Nylon seat and back upholsteries



Reinforced double cross-braces



Extra-large aluminum footplates




24"x1-3/8" pneumatic tyred spoke wheels with M15 axle

Technical Specs.

Weight Capacity	318kg/ 700lb
Seat Width	26", 28", 30"
Item Weight	26-28kg/ 58-61lb (w/o front rigging)
Castor	200 x 50
Rear Wheel	24" x 1-3/8"
Armrest	detachable, desk
Footrest	IV, detachable, swing away
Backrest	fixed
Dimension	89x89x89cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
26"	66/26	51/20	43/17	53/21	40-53/16-21	25/10
28"	71/28	51/20	43/17	53/21	40-53/16-21	25/10
30"	73/30	51/20	43/17	53/21	40-53/16-21	25/10
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
26"	89/35	89/35	89/35	30/12	26/58	318/700
28"	89/35	92/36	89/35	30/12	27/60	318/700
30"	89/35	97/38	89/35	30/12	28/21	318/700

Manual Wheelchair N473

New Heavy Duty Wheelchair [Dual Axles]

- Reinforced frame with double cross-braces for extra strength and weight capacity
- Dual axles provide hemi-height convertibility, allowing different seat positioning setting
- Detachable desk armrest an front riggings are Invacare@ compatible. Optional full armrests
- Detachable swing away footrests with large aluminum footplates, optional elevating legrests
- Nylon seat and back upholsteries
- 8" x 1-1/4" solid tyred casters
- 24" x 1" solid tyred Mag. wheel with string M15 axle
- Seat width 20", 22" and 24" are available



Dual axles



Double cross-braces



Nylon seat and back upholsteries



Detachable swing away footrests

Technical Specs.

Weight Capacity	227kg/ 500lb
Seat Width	20", 22", 24"
Item Weight	23-25kg/ 51-55lb
Castor	8" x 1-1/4"
Rear Wheel	24" x 1"
Armrest	detachable, desk
Footrest	IV, detachable, swing away
Backrest	fixed
Dimension	86x71x94cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
20"	51/20	46/18	43/17	53/21	40-53/16-21	25/10
22"	56/22	46/18	43/17	53/21	40-53/16-21	25/10
24"	61/24	46/18	43/17	53/21	40-53/16-21	25/10
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
20"	86/34	71/28	94/37	33/13	23/51	227/500
22"	86/34	76/30	94/37	33/13	24/53	227/500
24"	86/34	81/32	94/37	33/13	25/55	227/500

Manual Wheelchair N480

Bariatric Car Transit

- ▶ Companion activated loop wheel locks
- ▶ Reinforced double cross-braces for extra strength and weight capacity
- ▶ Detachable full armrests, optional desk armrests
- ▶ Detachable swing away footrests with large aluminum footrests, optional elevating legrests
- ▶ Reinforced nylon seat and back upholsteries
- ▶ 200 x 50 PU tyred casters with heavy-duty forks and 1" stem
- ▶ 12-1/2" x 2-1/4" PU tyred molded Mag. wheels with strong M15 axle
- ▶ Limited lifetime warranty on frame



Convenient loop brakes



Reinforced double cross-braces



Detachable swing away footrests with large aluminum footplates




Companion activated loop wheel locks

Technical Specs.

Weight Capacity	204kg/ 450lb
Seat Width	22", 24"
Item Weight	19-20kg/ 42-44lb (w/o front rigging)
Castor	200 x 50
Rear Wheel	12-1/2"x 2-1/4"
Armrest	detachable, full
Footrest	IV, detachable, swing away
Backrest	fixed
Dimension	71x66x94cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
22"	56/22	46/18	40/16	51/20	40-48/16-19	23/9
24"	61/24	46/18	40/16	51/20	40-48/16-19	23/9
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
22"	71/28	66/26	94/37	25/10	19/42	204/450
24"	71/28	71/28	94/37	25/10	20/44	204/450

Manual Wheelchair N700

Full Recliner

- Full recliner mechanism operated by maglock allows for infinite angle adjustments
- The back is reclinable up to 180°
- Detachable desk armrests. Optional full armrests
- Detachable elevating legrests
- Deluxe nylon seat and long back upholsteries
- Headrest on extended tubes (pillow optional)
- 8" x 1" solid tyred casters
- 24" x 1" solid tyred molded Mag. wheels with chromed-plated steel handrims
- Anti-tippers for safety
- Limited lifetime warranty on frame



Detachable elevating legrests



Deluxe Nylon seat and long back upholsteries



Detachable full armrests



Detachable desk armrests

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	16", 18", 20"
Item Weight	21.5-23kg/ 47-51lbs (w/o front rigging)
Castor	8" x 1"
Rear Wheel	24" x 1"
Armrest	detachable, desk
Footrest	IV, detachable, swing away
Backrest	fixed
Dimension	119x66x135cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
16"	40/16	43/17	86/34	48/19	40-53/16-21	25/10
18"	46/18	43/17	86/34	48/19	40-53/16-21	25/10
20"	51/20	43/17	86/34	48/19	40-53/16-21	25/10
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
16"	119/47	61/24	135/53	30/12	21.5/47	114/250
18"	119/47	66/26	135/53	30/12	22/48	114/250
20"	119/47	71/28	135/53	30/12	23/51	114/250

Manual Wheelchair L239

New Lightweight Travelease

- Invacare® compatible swing away footrests with composite footplates
- Folding down of the backrest is extremely space saving and also practical for transportation and storage
- Loop brakes provide slow down, temporary brake and parking brake
- Nylon seat and back upholsteries
- 8" x 1" solid tyred casters
- 12-1/2" x 2-1/4" PU flat-free tyred molded Mag. rear wheels as standard
- Companion activated loop wheel locks
- Limited lifetime warranty on frame



Composite footplates with heel loops



Optional elevating legrests



Compact design to sure transportation changes



Foldable backrest

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	17", 19"
Item Weight	9-9.5kg/ 20-21lb (w/o front rigging)
Castor	8" x 1"
Rear Wheel	12-1/2" x 2-1/4"
Armrest	fixed, full
Footrest	IV, detachable, swing away
Backrest	foldable
Dimension	66x51x92cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
17"	43/17	43/17	43/17	46/18	38-48/15-19	28/11
19"	48/19	43/17	43/17	46/18	38-48/15-19	28/11
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
17"	66/26	51/20	92/36	23/9	9/20	114/250
19"	66/26	56/22	92/36	23/9	9.5/21	114/250

Manual Wheelchair L247 / L248

New Lightweight Transport [Companion] Chair

- ▶ Lightweight aluminum alloy frame structure
- ▶ Invacare® compatible swing away footrests with composite footplate, optional elevating legrests
- ▶ Folding down of the backrest is extremely space saving and also practical for transportation and storage
- ▶ Nylon seat and back upholsteries
- ▶ 8" x 1" solid tyred casters
- ▶ 8" x 1" solid tyred molded rear wheels
- ▶ L247: Standard wheel locks. Optional brake extension lever
- ▶ L248: Companion activated loop wheel locks
- ▶ Limited lifetime warranty on frame



Foldable backrest



8" x 1" solid tyre casters



Composite footplates with heel loops




L248: Loop brakes provide slow down/ temporary brake and parking brake

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	17", 19"
Item Weight	8.5kg/ 19lb (w/o front rigging)
Castor	8" x 1"
Rear Wheel	8" x 1"
Armrest	fixed, full
Footrest	IV, detachable, swing away
Backrest	foldable
Dimension	66x53x94cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
17"	43/17	40/16	46/18	48/19	38-51/15-20	26/10
19"	48/19	40/16	46/18	48/19	38-51/15-20	26/10
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
17"	66/26	53/21	94/37	25/10	8.5/19	114/250
19"	66/26	58/23	94/37	25/10	8.5/19	114/250

Manual Wheelchair N246

New Transport [Companion] Chair

- Economy-class transport chair. Made of steel yet only 27 lbs
- Invacare® compatible swing away footrests with composite footplates
- Folding down of the backrest is extremely space saving and also practical for transportation and storage
- Nylon seat and back upholsteries
- 8" x 1" solid tyred casters
- 8" x 1" solid tyred molded Mag. rear wheels
- Optional brake extension lever
- Limited lifetime warranty on frame



8" x 1" solid tyres



Optional elevating legrests



Foldable backrest




Composite footplates with heel loops

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	17", 19"
Item Weight	11-11.5kg/ 24-25lb (w/o front rigging)
Castor	8" x 1"
Rear Wheel	8" x 1"
Armrest	fixed, full
Footrest	IV, detachable, swing away
Backrest	foldable
Dimension	66x58x96cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
17"	43/17	40/16	46/18	48/19	38-51/15-20	28/11
19"	48/19	40/16	46/18	48/19	38-51/15-20	28/11
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
17"	66/26	58/23	96/28	33/13	11/24	114/250
19"	66/26	63/25	96/28	33/13	11.5/25	114/250

Manual Wheelchair L120 / L125

Deluxe Lightweight / Car Transit

- ▶ Lightweight aluminum alloy frame
- ▶ Multiple axle positions offer choices in different centers of gravity
- ▶ Four position rear axle adjustment
- ▶ Quick release 24" self-propelling pneumatic rear wheels with aluminum handrims
- ▶ 8" front solid tyre swivel casters with angle adjustments
- ▶ Comfort and safety: nylon-cord upholstered seat/ back and 5cm cushion- flame retardant
- ▶ Comes standard with lap strap. Comes with padded armrests
- ▶ L120: Fixed backrest model
- ▶ L125: Folding backrest model



Quick release axle bracket for multiple position adjustments



Quick release anti-tippers



L125: Folding backrest model



Seat height adjustable by multiple axle position brackets

Technical Specs.

Weight Capacity	114kg/ 250lb; 136kg/ 300lb
Seat Width	16", 18", 20"
Item Weight	13-14kg/ 29-31lb
Castor	8"
Rear Wheel	24"
Armrest	detachable, desk
Footrest	detachable swing away
Backrest	L120: fixed ; L125: foldable
Dimension	107x66x92cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
16"	40/16	40/16	40/16	48/19	46-53/18-21	23/9
18"	46/18	40/16	40/16	48/19	46-53/18-21	23/9
20"	51/20	40/16	40/16	48/19	46-53/18-21	23/9
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
16"	107/42	61/24	92/36	30/12	13/29	114/250
18"	107/42	66/26	92/36	30/12	13.5/30	114/250
20"	107/42	71/28	92/36	30/12	14/31	114/250

Manual Wheelchair L130 / L135

Deluxe Lightweight / Car Transit

- Lightweight aluminum alloy frame
- Four position rear axle adjustment
- 12" pneumatic rear wheels. 8" front solid tyre swivel casters and caster angle adjustment
- Comfort and safety: Nylon-cord upholstered seat/ back and 5cm cushion- flame retardant
- Quick release anti-tippers
- Swing in & out detachable footrests, height adjustable with heel loops
- Comes standard with lap strap
- Optional tension adjustable backrest
- L130: Fixed backrest
- L135: Folding backrest



Flip-up armrests



Hand brake and push bar



Swing in & out detachable footrests



Quick release axle

Technical Specs.

Weight Capacity	114kg/ 250lb; 136kg/ 300lb
Seat Width	16", 18", 20"
Item Weight	11-12kg/ 24-26lb
Castor	8"
Rear Wheel	12"
Armrest	flip-up, desk
Footrest	detachable, swing away
Backrest	L310: fixed ; L135: foldable
Dimension	79x66x92cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
16"	40/16	40/16	40/16	48/19	46-53/18-21	23/9
18"	46/18	40/16	40/16	48/19	46-53/18-21	23/9
20"	51/20	40/16	40/16	48/19	46-53/18-21	23/9
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
16"	79/31	61/24	92/36	30/12	11/24	114/250
18"	79/31	66/26	92/36	30/12	11.5/25	114/250
20"	79/31	71/28	92/36	30/12	12/26	114/250

Manual Wheelchair L200 [code as K0004]

Deluxe High Strength Lightweight [Dual Axles]

- ▶ High-strength lightweight: total weight without front rigging is less than 34lbs
- ▶ The 18" seat depth provides more support and comfort
- ▶ Convertible: dual axles for converting into a hemi-height wheelchair
- ▶ Ease of use: assembly/ disassembly of the backrest made easy
- ▶ Adjustability: backrest height & angle adjustable
- ▶ Standard feature: swing in & out footrests with heel loops
- ▶ Attendant push bar
- ▶ Limited lifetime warranty on frame



Dual axles for converting into a hemi-height wheelchair



Detachable backrest provides more compact package



Optional quick release axle bracket



Flip-up armrests

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	16", 18", 20"
Item Weight	15kg/ 33lb
Castor	8" x 1"
Rear Wheel	24" x 1"
Armrest	flip-up, desk
Footrest	swing in & out
Backrest	adjustable
Dimension	81x69x94cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
16"	40/16	46/18	40-46/16-18	48/19	38-53/15-21	25-40/10-16
18"	46/18	46/18	40-46/16-18	48/19	38-53/15-21	25-40/10-16
20"	51/20	46/18	40-46/16-18	48/19	38-53/15-21	25-40/10-16
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
16"	81/32	64/25	94/37	30/12	15/33	114/250
18"	81/32	69/27	94/37	30/12	15/33	114/250
20"	81/32	71/28	94/37	30/12	15/33	114/250

Manual Wheelchair L210

Super Lightweight [Dual Axles]

- Lightweight aluminum alloy box-style frame structure
- Dual axle positions for 2" seat height adjustment
- Detachable swing away footrests
- Nylon seat and back upholsteries
- Urethane rear tires, mounted on "no flex" wheels, offer superior performance
- 8" x 1" solid with angle adjustable fork
- 24" x 1-3/8" PU tyred molded Mag. wheels with aluminum handrims and quick release axle
- Limited lifetime warranty on frame
- Optional pneumatic tires



Flip-up desk armrests



Quick release axle



Optional elevating legrests




Dual axle positions for 2" seat height adjustment

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	16", 18", 20"
Item Weight	14-14.5kg/ 31-32lb
Castor	8" x 1"
Rear Wheel	24" x 1-3/8"
Armrest	flip-up, desk
Footrest	detachable, swing away
Backrest	fixed
Dimension	107x61x97cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
16"	40/16	40/16	38-48/15-19	43-48/17-19	40-53/16-21	23/9
18"	46/18	40/16	38-48/15-19	43-48/17-19	40-53/16-21	23/9
20"	51/20	40/16	38-48/15-19	43-48/17-19	40-53/16-21	23/9
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
16"	107/42	61/24	97/38	30/12	14/31	114/250
18"	107/42	66/26	97/38	30/12	14.5/32	114/250
20"	107/42	71/28	97/38	30/12	14.5/32	114/250

Manual Wheelchair L220

New High Strength Lightweight [Dual Axles]

- ▶ High-strength lightweight wheelchair: Total weight without front riggings is less than 34lbs
- ▶ Dual axles for converting into hemi-height wheelchair
- ▶ Aluminum alloy flip-up desk armrests, optional flip-up full armrests, height adjustable desk armrests
- ▶ Nylon upholstery is breathable, lightweight and comfortable
- ▶ Invacare® compatible swing away footrests
- ▶ Limited lifetime warranty on frame



Dual axles for converting into a hemi-height wheelchair



Composite footplates



Invacare® compatible swing away footrests




Aluminum alloy flip-up desk armrests

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	16", 18", 20"
Item Weight	14.5kg/ 32lb
Castor	8" x 1"
Rear Wheel	24" x 1"
Armrest	flip-up, desk
Footrest	IV, detachable, swing away
Backrest	fixed
Dimension	81x61x94cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
16"	40/16	40/16	38-48/15-19	48/19	40-53/16-21	20-25/8-10
18"	46/18	40/16	38-48/15-19	48/19	40-53/16-21	20-25/8-10
20"	51/20	40/16	38-48/15-19	48/19	40-53/16-21	20-25/8-10
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
16"	81/32	61/24	94/37	30/12	14.5/32	114/250
18"	81/32	66/26	94/37	30/12	14.5/32	114/250
20"	81/32	71/28	94/37	30/12	14.5/32	114/250

Manual Wheelchair L222 Sequoia

Ultra Strength Lightweight [Dual Axles]

- Ultra strong yet lightweight wheelchair
- The weight of wheelchair without front riggings is under 34 lbs
- Adjustable height back (2")
- Dual axles for converting into hemi-height wheelchair
- Flip-up desk arms with padded armrests. Latex free handgrips
- Height adjustable swingaway footrests with composite footplates (Invacare® compatible front riggings)
- Latex free handgrips
- Limited lifetime warranty on frame



Nylon seat and back upholstery



Height adjustable swingaway footrests with heel loops



Flip up desk arms with padded armrest




24"x1" rear wheel with handrim, 8"x1" castors with aluminum forks

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	16", 18", 20"
Item Weight	14.5kg/ 32lb
Castor	8" x 1"
Rear Wheel	24" x 1"
Armrest	flip up, desk
Footrest	adjustable, swing away
Backrest	adjustable
Dimension	81x64x94cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
16"	40/16	40/16	38-48/15-19	44-49/17-19	38-51/15-20	24/9.5
18"	46/18	40/16	38-48/15-19	44-49/17-19	38-51/15-20	24/9.5
20"	51/20	40/16	38-48/15-19	44-49/17-19	38-51/15-20	24/9.5
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
16"	81/32	59/23	94/37	28/11	14.5/32	114/250
18"	81/32	64/25	94/37	28/11	14.5/32	114/250
20"	81/32	69/27	94/37	28/11	14.5/32	114/250

Manual Wheelchair L223 Sequoia

Deluxe Ultra Strength Lightweight [Tri-axles]

- ▶ Adjustable height back (2")
- ▶ Tri-axles for converting to hemi-height wheelchair
- ▶ Easy assembly and disassembly of backrest
- ▶ Height adjustable flip up desk arms with padded armrest. Latex free handgrips
- ▶ Height adjustable swingaway footrests with heel loops
- ▶ Latex free handgrips
- ▶ Colors available: silver
- ▶ Limited lifetime warranty on frame



Height adjustable swingaway footrests with heel loops



Flip up desk arms with padded armrest



Nylon seat and back upholstery



24"x1" rear wheel with quick release axles; 8"x1" castors with aluminum forks

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	16", 18", 20"
Item Weight	14.5kg/ 32lb
Castor	8" x 1"
Rear Wheel	24" x 1"
Armrest	flip up, desk
Footrest	adjustable, swing away
Backrest	adjustable
Dimension	81x66x94cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
16"	40/16	45/18	38-48/15-19	44-49/17-19	38-51/15-20	23-36/9-14
18"	46/18	45/18	38-48/15-19	44-49/17-19	38-51/15-20	23-36/9-14
20"	51/20	45/18	38-48/15-19	44-49/17-19	38-51/15-20	23-36/9-14
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
16"	81/32	61/24	94/37	30.5/12	14.5/32	114/250
18"	81/32	66/26	94/37	30.5/12	14.5/32	114/250
20"	81/32	71/28	94/37	30.5/12	14.5/32	114/250

Manual Wheelchair L300 [M9B]

Ultra Lightweight

- Versatility: modular in design
- Lightweight aluminum alloy frame
- Quick release rear Mag. wheels. Quick release anti-tippers
- Seat cushion is secured by Velcro
- 24" x 1-3/8" pneumatic tyred spoke rear wheel with aluminum rims and handrims
- 8" x 1-1/4" pneumatic tyred casters, caster socket angle adjustable
- Caster: 8" (standard); 6", 5" (optional)
- Optional back-folding mechanism
- Limited lifetime warranty on frame



Multi-position axles



Quick release rear Mag. wheels



Quick release anti-tippers



Saddle style crossbrace

Technical Specs.

Weight Capacity	100kg/ 220lb
Seat Width	16", 18"
Item Weight	13-13.5kg/ 29-30lb
Castor	8" x 1-1/4"
Rear Wheel	24" x 1-3/8"
Armrest	flip up, desk
Footrest	IV, detachable, swing away
Backrest	fixed
Dimension	107x68x89cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
16"	40/16	40/16	43-48/17-19	48/19	43-53/17-21	23/9
18"	46/18	40/16	43-48/17-19	48/19	43-53/17-21	23/9
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
16"	107/42	63/25	89/35	30/12	13/29	100/220
18"	107/42	68/27	89/35	30/12	13.5/30	100/220

Manual Wheelchair L303

New Deluxe Lightweight Wheelchair

- ▶ Lightweight aluminum alloy box-style frame structure
- ▶ Detachable flip up desk armrests, optional full armrests
- ▶ 8" x 1-1/4" PU tire with adjustable fork
- ▶ 24" x 1-3/8" PU tyres with quick release axle and position-adjustable plate
- ▶ 3" PU transport wheels offers supporting when passing through tight spaces by removing the rear wheels
- ▶ Durable yet lightweight nylon upholstery resists mildew and bacteria
- ▶ Limited lifetime warranty on frame



Detachable flip up desk armrests



24" x 1-3/8" PU tyres with quick release axle



3" PU transport wheels. Height and position adjustable plate at the rear




Reinforced double cross-braces on 19" and 20" seat width models

Technical Specs.

Weight Capacity	110kg/ 242lb; 125kg/ 275lb
Seat Width	16", 17", 18", 19", 20"
Item Weight	15-15.8kg/ 33-35lbs
Castor	8" x 1-1/4"
Rear Wheel	24" x 1-3/8"
Armrest	detachable, flip up, desk
Footrest	quick, detachable, swing away
Backrest	foldable
Dimension	107x68x89cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
16"	40/16	40/16	40/16	51/20	46-53/18-21	23/9
17"	43/17	40/16	40/16	51/20	46-53/18-21	23/9
18"	46/18	40/16	40/16	51/20	46-53/18-21	23/9
19	48/19	40/16	40/16	51/20	46-53/18-21	23/9
20	51/20	40/16	40/16	51/20	46-53/18-21	23/9
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
16"	107/42	63/25	89/35	30/12	15/33	110/242
17"	107/42	65/26	89/35	30/12	15.2/33.5	110/242
18"	107/42	68/27	89/35	30/12	15.4/34	110/242
19"	107/42	70/28	89/35	30/12	15.6/34.5	125/275
20"	107/42	73/29	89/35	30/12	15.8/35	125/275

Manual Wheelchair L405

Aluminum Lightweight Convertible

- ▶ All-in-One: Can be used as standard self-propelled wheelchair or a transport chair
- ▶ Lightweight aluminum alloy frame structure
- ▶ Double wheel-locks: One for use with wheelchair, one for use with transport chair
- ▶ Invacare® compatible swing away footrests with composite footplates and heel loops, optional elevating legrests
- ▶ Folding down of the backrest is extremely space saving and also practical for transportation
- ▶ Comes standard with pocket in the rear of the backrest
- ▶ Nylon upholstery resists mildew and bacteria



24" wheel can be removed easily



Double wheel-locks



Folding backrest




Invacare compatible swing away footrests

Technical Specs.

Weight Capacity	114kg/ 250lb ; 136kg/ 300lb
Seat Width	16", 18", 20"
Item Weight	14.5-16.5kg/ 32-36lb
Castor	8" x 1"
Rear Wheel	24" x 1" ; 8" x 1"
Armrest	flip up, desk
Footrest	IV, detachable, swing away
Backrest	foldable
Dimension	81x68x92cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
16"	40/16	40/16	40/16	48/19	40-51/16-20	23/9
18"	46/18	40/16	40/16	48/19	40-51/16-20	23/9
20"	51/20	40/16	40/16	48/19	40-51/16-20	23/9
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
16"	81/32	63/25	92/36	36/14	14.5/32	114/250
18"	81/32	68/27	92/36	36/14	15/33	114/250
20"	81/32	74/29	92/36	36/14	16.5/36	136/300

Manual Wheelchair L406 / L436

Stylish Self Propelled Wheelchair / Car Transit

- New stylish lightweight construction
- Quick release rear wheels
- Attendant brakes with locking handles
- Washable, anti-bacteria padded upholstery
- Flip up, detachable armrests
- Swing in-out detachable footrests with height adjustable footplates



Quick release rear wheels



Attendant brakes with locking handles



Flip up, detachable armrests



L436 Stylish Car Transit

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	16", 18"
Item Weight	13-13.5kg/ 29-30lb
Castor	7" x 1-3/4"
Rear Wheel	L406: 24"x1" ; L436: 12-1/2"x2-1/4"
Armrest	detachable, flip up
Footrest	detachable, swing in & out
Backrest	foldable
Dimension	107x68x92cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
16"	40/16	38-43/15-17	48/19	48/19	38-51/15-20	23/9
18"	46/18	38-43/15-17	48/19	48/19	38-51/15-20	23/9
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
16"	107/42	63/25	92/36	30/12	13/29	114/250
18"	107/42	68/27	92/36	30/12	13.5/30	114/250

Manual Wheelchair L407

Lightweight Highly Adjustable Wheelchair

- ▶ High strength lightweight aluminum alloy frame structure
- ▶ Multiple seat height and depth option to suit different positioning needs
- ▶ 24" x 1" light spoke wheels and aluminum handrims with quick release axle
- ▶ Tension adjustable, water resistance nylon seat rest and backrest
- ▶ Flip up, detachable armrests. Optional height adjustable armrests
- ▶ Swing in-out detachable footrests
- ▶ Optional folding backrest mechanism for compact storage



Quick release axle



Flip up detachable armrests for easy transfer



Swing in & out footrests for easy storage and user's easy movement



Adjustable seat depth and seat height for different somatotypes

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	38-51cm/ 15-20in
Item Weight	15kg/ 33lb
Castor	8" x 1"
Rear Wheel	24" x 1"
Armrest	detachable, flip up
Footrest	detachable, swing in & out
Backrest	fixed
Dimension	110x63x96cm

Dimensions



seat dimensions [cm/in]				footrests	arms
D	E	F	G	H	J
38-51/15-20	38-48/15-19	46/18	48-51/19-20	38-51/15-20	23/9
overall dimensions				weight [kg/lb]	
A	B	C	K	ttl. weight	capacity
110/43	63/25	96/28	30/12	15/33	114/250

Manual Wheelchair L810 [code as K0005]

Ultra Lightweight

- Rigid lightweight aluminum frame: total weight without front riggings is less than 30lbs
- Multiple-position height adjustment of rear wheels
- Height adjustable armrests
- Backrest angle adjustable and foldable
- 6" solid casters as standard, 5" & 4" casters optional
- Durable yet lightweight nylon upholstery resists mildew and bacteria
- Rigidity bars provide support



Flip-up footrest



6" solid casters



Chamber angle adjustable: 3°, 5°, 8°




Multiple-position height adjustment

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	15", 16", 17", 18"
Item Weight	12-13.5kg/ 26.5-30lb (w/o front rigging)
Castor	6"
Rear Wheel	24"
Armrest	height adjustable
Footrest	flip-up
Backrest	angle adjustable & folded
Dimension	32x24x81-91cn

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
15"	38/15	40/16	35-45/14-18	48/19	40-48/16-19	28-33/11-13
16"	40/16	40/16	35-45/14-18	48/19	40-48/16-19	28-33/11-13
17"	43/17	43/17	35-45/14-18	48/19	40-48/16-19	28-33/11-13
18"	46/18	43/17	35-45/14-18	48/19	40-48/16-19	28-33/11-13
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
15"	81/32	58/23	81-91/32-36	---	12/26.5	114/250
16"	81/32	61/24	81-91/32-36	---	12.5/27.5	114/250
17"	84/33	63/25	81-91/32-36	---	13/29	114/250
18"	84/33	66/26	81-91/32-36	---	13.5/30	114/250

Manual Wheelchair J110 [MJ-1]

Institutional Chair

- Fixed arms and footrests
- 24" x 1-3/8" pneumatic tired spoke rear wheels with stainless steel handrims
- 7" x 1" castors
- Double cross braces
- Comfortable leg support strap
- Comes with chrome frame, front riggings & push to lock brakes
- Nylon padded armrest for more comfort
- Vynyl upholstery for easy cleaning
- Limited lifetime warranty on frame



7" x 1" castors



Comfortable leg support strap (calf strap)



24" x 1-3/8" pneumatic tired spoke rear wheels with stainless steel handrims




Fixed arms and footrests

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	16", 17"
Item Weight	17.5-18kg/ 38.5-39.6lb
Castor	7" x 1"
Rear Wheel	24" x 1-3/8"
Armrest	fixed
Footrest	fixed
Backrest	fixed
Dimension	106x62x84cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
16"	40/16	40/16	38/15	47/18.5	36-46/14-18	22/8.7
17"	42/17	40/16	38/15	47/18.5	36-46/14-18	22/8.7
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
16"	106/41.7	60/23.6	84/33.1	29/11.4	17.5/38.5	114/250
17"	106/41.7	62/24.4	84/33.1	29/11.4	18/39.6	114/250

Manual Wheelchair J610 [MJ-6]

Full Reclining Rehab Wheelchair

- Aluminum alloy rigid frame, full reclining wheelchair
- Easy slide down full armrests to transport patients to bed and provide more support
- Full recliner and actuate elevating legrest mechanism
- Additional pad and headrest on upholstery
- 12" pneumatic tire spoke wheels
- 7" x 1" solid casters
- Foot operated brake
- Limited lifetime warranty on frame



Full recliner and actuate elevating legrest mechanism



Easy slide down full armrests



Attendant brakes




Foot brake

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	44cm/ 17.7in
Item Weight	22.5kg/ 30.5lb
Castor	7" x 1"
Rear Wheel	12"
Armrest	full
Footrest	elevating
Backrest	adjustable
Dimension	112x62x122cm

Dimensions



seat dimensions [cm/in]				footrests	arms
D	E	F	G	H	J
44/17.3	42/16.5	80/31.5	47/18.5	---	23/9
overall dimensions				weight [kg/lb]	
A	B	C	K	ttl. weight	capacity
122/48	62/24.4	122/48	---	22.5/49.5	114/250

Manual Wheelchair J915

Aluminum Lightweight Wheelchair

- A very popular, Japanese aesthetic-inspired wheelchair
- Designed for both self-propelled and attendant-controlled usage
- 6" casters and 22" pneumatic tired spoke rear wheels with stainless steel handrims
- T6 tempered lightweight aluminum alloy frame
- Elegant checkered upholstery
- Polyurethane foam-padded armrests
- Limited lifetime warranty on frame



Attendant brakes



Japanese aesthetic-inspired wheelchair



Push-to-look brake with levers




Folding back

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	40cm/ 16in
Item Weight	11.5kg/ 25.3lb
Castor	6"
Rear Wheel	22"
Armrest	full
Footrest	fixed
Backrest	foldable
Dimension	99x65x82cm

Dimensions



seat dimensions [cm/in]				footrests	arms
D	E	F	G	H	J
40/15.7	40/15.7	39/15.3	44/17.3	30-40/11.8-15.7	22/8.6
overall dimensions				weight [kg/lb]	
A	B	C	K	ttl. weight	capacity
99/38.9	65/25.5	82/32.2	33/12.9	11.5/25.3	114/250

Manual Wheelchair R106

Tilt-in-Space Reclining Rehab Wheelchair

- ▶ Versatility: Fully reclines from 90°~135° - back supported by two cylinders. Tilting angles from 0°~30°
- ▶ Adjustability: 7" x 1" PU casters with height adjustable fork
- ▶ Maneuverability: 24" x 1-3/8 PU tyred spoke wheels
- ▶ Ergonomic: Cozy, PU seat, backrest and headrest
- ▶ Shear reduction: Seat moves backward while reclining to reduce the shear force pressure against the back
- ▶ Adjustable armrest height: 8"~11"
- ▶ Adjustable seat width: 16"/ 17"/ 18"/ 19" and 20"
- ▶ Adjustable seat depth: 18"/ 19" and 20"



Fully reclines from 90° ~ 135°



Tilting angles from 0° ~ 30°



Multiple axle position




R136 Tilt-in-Space Reclining Rehab Wheelchair

Technical Specs.

Weight Capacity	125kg/ 277lb
Seat Width	40-51cm/ 16-20in
Item Weight	42kg/ 93lb
Castor	7" x 1"
Rear Wheel	24" x 1-3/8"
Armrest	height adjustable
Footrest	elevating
Backrest	adjustable
Dimension	115x72-82x117cm

Dimensions



seat dimensions [cm/in]				footrests	arms
D	E	F	G	H	J
40-51/16-20	46-51/18-20	53-58/21-23	48-53/19-21	38-50/15-20	21-28/8-11
overall dimensions				weight [kg/lb]	
A	B	C	K	ttl. weight	capacity
115/45	72-82/28-32	117/46	---	42/93	125/277

Manual Wheelchair L801

Sports Lightweight

- ▶ Aircraft T6 aluminum alloy rigid frame: lightweight yet durable
- ▶ Multiple axle position for different wheel size for customization
- ▶ Adjustable back angles for more comfortable seating positions
- ▶ Easy string pull folding back for compact storage
- ▶ High pressure rear tyres suitable for rigid turning tasks reduce resistance for greater mobility
- ▶ Wheels: 24" (standard); 22", 26" (optional)
- ▶ Caster: 6" (standard); 4", 5" (optional)
- ▶ Camber angle: 0°~25° adjustable



Adjustable back angles



Quick release front wheels



Quick release rear wheels




Height adjustable side panel for agile maneuverability

Technical Specs.

Weight Capacity	114kg/ 250lb
Seat Width	16", 18", 20"
Item Weight	13-15kg/ 29-33lb
Castor	6"
Rear Wheel	24"
Armrest	---
Footrest	adjustable
Backrest	angle adjustable & foldable
Dimension	84x71x78-81cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
16"	40/16	43/17	30-40/12-16	51/20	43-48/17-19	20-25/8-10
18"	46/18	43/17	30-40/12-16	51/20	43-48/17-19	20-25/8-10
20"	51/20	43/17	30-40/12-16	51/20	43-48/17-19	20-25/8-10
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
16"	84/33	71/28	78-81/28-32	---	13/29	114/250
18"	84/33	76/30	78-81/28-32	---	14/31	114/250
20"	84/33	81/32	78-81/28-32	---	15/33	114/250

Manual Wheelchair L802B

Pro. Basketball Wheelchair

- Rugged frame with 18° cambered wheels, make it quick turn smoothly and stable in ball playing
- 24"/ 25"/ 26" light spoke wheels help to raise the seat height
- Height adjustable fifth wheel with 3" castor to help pitching the ball
- Back height adjustable 200/300mm to fit personal support
- Footrest length extendable with four sizes settings



Rugged frame with 18° cambered wheels



Tension adjustable, water repulsive nylon seat and backrest



Footrest length extendable with four sizes settings




Height adjustable fifth wheel with 3" castor

Technical Specs.

Weight Capacity	120kg/ 265lb
Seat Width	38/40.5/43/45.5cm
Item Weight	12kg/ 26lb
Castor	3"
Rear Wheel	24"/ 25"/ 26"
Armrest	detachable, desk
Footrest	fixed
Backrest	height adjustable
Dimension	85.5/87/88.5 x 91/93.5/96/98.5 x 65.5-78cm

Dimensions



seat dimensions [cm]				footrests	arms
D	E	F	G	H	J
38/40.5/43/45.5	40.5/43	20/30	50/51.5/53	38-48	15.5
overall dimensions				weight [kg/lb]	
A	B	C	K	tll. weight	capacity
85.5/87/88.5	91/93.5/96/98.5	65.5-78	18°	12/26	120/265

Manual Wheelchair L802T / BM

Pro. Tennis & Badminton Wheelchair

- ▶ The sturdy rigid frame wheelchair design is consulted with professional players
- ▶ Two front castors stretch forward and outward for better stability when player stretches forward to save ball
- ▶ Two removable anti-tippers stretch backward (200mm) and outward for better stability when the player strikes the ball on backswing right or left side
- ▶ Narrow calf spacing (between two calf pads) version is available for special needs (optional)
- ▶ 24" / 25" / 26" x 1" light spoke wheels help to raise the seat height up to 530mm
- ▶ Drive wheel center is moved 135mm forward to close the center of gravity of player. 18° camber of wheels and 8° of seat rake angle make the wheelchair performance excellent



Two removable anti-tippers stretch backward (200mm) and outward



Two front castors stretch forward and outward



24" / 25" / 26" x 1" light spoke wheels




Rugged frame with 18° cambered wheels

Technical Specs.

Weight Capacity	120kg/ 265lb
Seat Width	38/40.5/43/45.5cm
Item Weight	11.5kg/ 25lb
Castor	3"
Rear Wheel	24" / 25" / 26" x 1"
Armrest	detachable, desk
Footrest	fixed
Backrest	fixed
Dimension	100.5 x 93/96/98.5/101 x 67.5-77.5cm

Dimensions



seat dimensions [cm]				footrests	arms
D	E	F	G	H	J
38/40.5/43/45.5	40.5/43	22-32	50/51.5/53	38-48	15.5
overall dimensions				weight [kg/lb]	
A	B	C	K	tll. weight	capacity
100.5	93/96/98.5/101	67.5-77.5	18°	11.5/25	120/265

Manual Wheelchair L811AR ; L811AR/A

High Active Wheelchair [Rigid Frame]

- High active wheelchair with rigid frame for sturdy and smooth riding
- Tension adjustable, water repulsive nylon seat and backrest
- Angle adjustable back for more comfortable seating positions
- Footrests adjustment angle: 75° , 80°
- Easy string-pull folding back for compact storage
- 24" x 1" (STD)/ 22" x 1" (optional) spoke light wheels with aluminum handrims and quick release axles
- 4" caster (STD) ; 3", 5" (optional)
- Two versions of seat height adjustability: L811AR fixed height 455mm ; L811AR/A adjustable height 455/480mm



High active wheelchair with rigid frame for sturdy and smooth riding



Quick release axles



Tension adjustable, water repulsive nylon seat and backrest




Angle adjustable back for more comfortable seating positions

Technical Specs.

Weight Capacity	120kg/ 265lb
Seat Width	38/40.5/43/45.5cm
Item Weight	9kg/ 20lb
Castor	4"
Rear Wheel	24" x 1"
Armrest	detachable, desk
Footrest	fixed
Backrest	adjustable
Dimension	76 x 58/60.5/63/65.5 x 74-84cm

Dimensions



	seat dimensions [cm]				footrests	arms
	D	E	F	G	H	J
L811AR	38/40.5/43/45.5	40.5/43	30-40	45.5	40.5-48	---
L811AR/A	38/40.5/43/45.5	40.5/43	30-40	45.5/48	40.5-48	---
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
L811AR	58/60.5/63/65.5	74-84	76	3°/0°	9/20	120/265
L811AR/A	58/60.5/63/65.5	74-84	78.5	3°/0°	9/20	120/265

Manual Wheelchair L812AF

High Active Wheelchair [Folding Frame]

- High active wheelchair with folding frame to save storage space
- Height adjustable backrest
- Adjustable footrest with five height settings and one-piece footplate
- Footrests adjustment angle: 80°
- 24" x 1" (STD) / 22" x 1", 25" x 1" (optional) light spoke wheels with aluminum handrims and quick release axles
- Seat height adjustable and castor mounting angle adjustable
- Comes with 2 straps: back and ankles straps
- 4" castors (STD): 3", 5" (optional)
- Optional rear anti-tipper and cane holder



Light spoke wheels with aluminum handrims and quick release axles



Seat height adjustable and castor mounting angle adjustable



Dual crossbar for better frame strength and rigidity




L813 High Active Wheelchair

Technical Specs.

Weight Capacity	120kg/ 265lb
Seat Width	40.5/43/45.5/48cm
Item Weight	11kg/ 24lb
Castor	4"
Rear Wheel	24" x 1"
Armrest	---
Footrest	adjustable
Backrest	adjustable
Dimension	90 x 55.5/58/60.5/63 x 68.3cm

Dimensions



seat dimensions [cm]				footrests	arms
D	E	F	G	H	J
40.5/43/45.5/48	42/44.5	35/40/45	43/45.5/48	40.5-48	---
overall dimensions				weight [kg/lb]	
A	B	C	K	tll. weight	capacity
90	55.58/60.5/63	68.3	3°/0°	11/24	120/265

Manual Wheelchair M801-B

Sporty Wheelchair- Basketball

- ▶ Adjustable backrest with 3 height settings
- ▶ Adjustable footrest with 3 height settings
- ▶ Height adjustable fifth wheel with 3" PU casters
- ▶ 26" spoke wheels with aluminum handrims and quick release axle
- ▶ Adjustable tension, water resistance nylon seat rest and backrest
- ▶ 50mm thick cushion
- ▶ Comes with 4 straps: hip, knee, foot and ankles straps



Height adjustable fifth wheel with 3" castor



Defensive wing for wheelchair basketball models



Adjustable footrest with 3 height settings




50mm thick cushion

Technical Specs.

Weight Capacity	110kg/ 242lb
Seat Width	12", 14", 16", 18"
Item Weight	17-18.5kg/ 37-40lb
Castor	3"
Rear Wheel	26"
Armrest	---
Footrest	height adjustable
Backrest	height adjustable
Dimension	86x96x80cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
12"	30/12	46/18	23-33/9-13	55/22	43-48/17-19	13/5
14"	35/14	46/18	23-33/9-13	55/22	43-48/17-19	13/5
16"	40/16	46/18	23-33/9-13	55/22	43-48/17-19	13/5
18"	46/18	46/18	23-33/9-13	55/22	43-48/17-19	13/5
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
12"	86/34	86/34	80/31.5	---	17/37	110/242
14"	86/34	91/36	80/31.5	---	17.5/37	110/242
16"	86/34	96/38	80/31.5	---	18/40	110/242
18"	86/34	101/40	80/31.5	---	18.5/40	110/242

Manual Wheelchair M801-T

Sporty Wheelchair- Tennis

- Adjustable backrest with 3 height settings
- Adjustable footrest with 3 height settings
- Height adjustable fifth wheel with 3" PU casters
- 26" spoke wheels with aluminum handrims and quick release axle
- Adjustable tension, water resistance nylon seat rest and backrest
- 50mm thick cushion
- Comes with 4 straps: hip, knee, foot and ankles straps



Adjustable footrest with 3 height settings



26" spoke wheels with quick release axle



Height adjustable 5th wheel with 3" PU casters




Adjustable tension, water resistance nylon seat rest & backrest

Technical Specs.

Weight Capacity	110kg/ 242lb
Seat Width	12", 14", 16", 18"
Item Weight	17-18.5kg/ 37-40lb
Castor	3"
Rear Wheel	26"
Armrest	---
Footrest	height adjustable
Backrest	height adjustable
Dimension	80x96x80cm

Dimensions



	seat dimensions [cm/in]				footrests	arms
	D	E	F	G	H	J
12"	30/12	46/18	23-33/9-13	55/22	43-48/17-19	13/5
14"	35/14	46/18	23-33/9-13	55/22	43-48/17-19	13/5
16"	40/16	46/18	23-33/9-13	55/22	43-48/17-19	13/5
18"	46/18	46/18	23-33/9-13	55/22	43-48/17-19	13/5
	overall dimensions				weight [kg/lb]	
	A	B	C	K	ttl. weight	capacity
12"	80/31.5	86/34	80/31.5	---	17/37	110/242
14"	80/31.5	91/36	80/31.5	---	17.5/37	110/242
16"	80/31.5	96/38	80/31.5	---	18/40	110/242
18"	80/31.5	101/40	80/31.5	---	18.5/40	110/242

Power Wheelchair P001

Power Pack for Manual Wheelchair

- ▶ Twin-wheel design with 136kg/ 300lbs weight capacity and much greater traction on grass and gravel
- ▶ Easy attachment: attaches to any wheelchair, fully attendant control, making pushing any wheelchair simple and easy
- ▶ With speeds up to 5.5 kph/ 3.4 mph and a range of up to 16km/ 10 miles, there is more than enough capacity for most days out
- ▶ Convenient forward and reverse direction switch
- ▶ Portable: lightweight for easy transport, packs neatly into a travel bag and enables the extra mobility anywhere



Portable



Lift-up position when not in use



Twin-wheel design



Convenient forward and reverse direction switch

Technical Specs.

Weight Capacity	136kg/ 300lb
Max. Speed	5.5kph/ 3.4mph
Range	16km/ 10mi.
Turn Radius	---
Ground Clearance	---
Motor	DC12V, 90W/ 280W(Max)
Controller	---
Battery	12V/ 22AH
Charger	3A off-board
Gradient	---
Caster	---
Drive Wheel	8" PU tire x 2pcs
Brake	---

Dimension

overall dimension : L x W x H	44 x 25 x 29.5cm
fits wheelchair width	16in~22in

Weight

weight-base	7.7kg/ 17lb
weight-battery	6.3kg/ 14lb
weight-total	14kg/ 31lb

Accessories for Wheelchair



Gooseneck elevating legrest



Oxygen tank holder



Anti-fold bar kit



One arm drive kit (OAD)



Tote bag for wheelchair



Professional seat cushion
** indicate size when ordering



IV. Pole, wheelchair



Bag for oxygen tank

Accessories for Wheelchair




201: 24" x 1-3/8" Pneumatic tire, spoked rear wheel with 5/8" stainless steel handrim

202: 24" x 1-3/8" Pneumatic tire, spoked rear wheel with plastic handrim, for MJ-1

203: 24" x 1-3/8" Pneumatic tire, spoked rear wheel with 3/4" aluminum handrim

204: 24" x 1" Solid tire, mag rear wheel with 3/4" steel handrim

205: 20" x 1-3/8" Pneumatic tire rear spoked wheel



207: 8" x 1" Solid tire caster wheel 60mm wide hub

208: 8" x 1" Solid tire caster wheel 40mm wide hub

214: 8" x 1-1/4" Solid tire caster wheel 40mm wide hub

210: 8" x 1-1/4" Pneumatic tire caster wheel 60mm wide hub

213: 8" x 2"(200x50) Pneumatic tire caster wheel 60mm wide hub

211: 8" x 2"(200x50) PU tire caster wheel 60mm wide hub

209: 7" x 1" Solid tire caster wheel 60mm wide hub

212: 6" x 1" PU caster wheel 40mm wide hub

206: 12-1/2" x 2-1/4" Pneumatic tire rear wheel



301: 5/8" x 6-1/2" Brake extension for steel brake

302: 5/8" x 7" Brake extension for steel brake

303: 5/8" x 8" Brake extension for steel brake

304: 5/8" x 11" Brake extension for steel brake



311: 5/8" x 6-1/2" Brake extension for alum brake

321: Anti-tipper with rubber cap STD wheelchair

322: Anti-tipper with wheel STD wheelchair

323: Anti-tipper adjustable with wheel STD wheelchair

Accessories for Wheelchair



112
Embossed vinyl
seat upholstery



113
Embossed vinyl
backrest upholstery



114
Black nylon seat
upholstery



115
Black nylon backrest
upholstery
**indicate size when
ordering



108



109



110



111

108: Padded largest pad

109: Plastic largest pad
(gray / black)

110: PU largest pad for
pediatric chair

111: PU largest pad (blue /
black)



101



102



103



104



105



106



107

101: Padded armrest pad,
full arm

102: Padded armrest pad,
desk arm

103: PU armrest pad, front
end curved (black)

104: PU armrest pad, full
arm (blue / black)

105: PU armrest pad, desk
arm (blue / black)

106: Plastic armrest pad,
desk arm (gray / black)

107: Plastic armrest pad, full
arm (gray / black)



MDD 93/42/EEC



TAIWAN
EXCELLENCE
2011-2015

ISO 9001

ISO 13845

ISO 14001

MERITS HEALTH PRODUCTS CO.LTD

No. 18, Jingke Road,
T.P.M.T Park, Nantun District,
Taichung City 40852, Taiwan, R.O.C.
TEL: +886-4-23594991
FAX: +886-4-23594992
www.merits.com.tw
inquiry@merits.com.tw